1

#### MINERAL SURVEY No. 3920

Arizena Land District. FIELD NOTES exterior boundaries of the of the survey of the MINING CLAIM OF Lena Wright and Loey Reidhead Made under Regulations under the Act of June 30, 1919, KNOWN AS THE LENA MINE lodg Fort Apache Indian Resurvation Mining District, Gila County, Arizena Section 6 : 7 (approx)., Township 51. , Range 181 Unsak, by ..... R. G. Thomas U. S. Mineral Surveyor. Claim located December 2, 1923 Survey commenced May. 11 , 19 25 Survey completed May 13 , 19 25 Address of claimant Showler, Ariz. DATES OF AMENDED LOCATIONS.

6-822

Reginaing at Cor. No. 1

A diabase boulder in place at top of cliff, 3 x 2.5 ft. square, with mound of stone, chiscled 1-3928 with X for exact corner point.

U.S.L.M. No. 3737 bears S.72°12'40"W. 5686.44 ft. A diabase boulder in place chiseled BR-1-3928 with X for exact point bears S.84° 50' W. 20.5ft.

Feet

Thence N. 05° lor W.

1499.00 To Cor. No. 2

A limestone boulder 24 ins. long, .4 x 1.5 ft. square, set 12 ins. in the ground with mound of stone, chiseled 2-3928 with X for exact corner point. A limestone ledge 2 fr. high, chiseled BR-2-3938 with X for exact point bears S.84° 50'W. 36.75 ft.

Thence N.84° 50'E.

600.00 To Cor. No. 3

A limestone boulder, 24 ins. long, 1.0 x .8 ft. square. set 12 ins. in the ground with mound of stone chiseled 3-3928 with X for exact corner point. A flat limestone outerep 5x 3ft. square , thiseled BR-3-3938 with X for exact point bears No5°12'W. 63.27ft. Thence S.05°10'E

1499.00 To Car. No. 4

A diabase boulder, 24 ins. long, .8 x .4 ft, square, set 12 ins. in the ground with ound of stone, chiseled 4-2928 with X for exact corner point. Ne bearings available

Thence S.84°50"W.

To the place of beginning. All corners are identical 600.00 with the location. Variation at all corners 15°30' East

Total area Min. Sur. No. 3928

Aeres,

LOCATION:

This survey is located on unsurveyed ground which when surveyed will be approximately Sec. 6 and 7 T.5N., R.18E., G.& S R B.& M. within the beundaries of

#### Min. Sur. No. 3928 continued

the Fort Apache Indian Reservation about 3 miles easterly from the 21 mile corner of the White Mountain Indian Reservation, west boundary.

INSTRUMENT.
This survey was made with a Gurley transit. The course was deflected from a true meridian qs determined by an observation on Polaris at its eastern elengation. The distance was measured with a 500 foot steel tape.

Adjoining claims:

· Min. Sur. No. 3928 is bounded on all sides by unknown claims.

REPORT:

U.S.L.M. No. 3787 is a flat limestene euterep 3 x 5 x 1.5 ft. square chiseled U.S.L.M. 3787 with K for exact point.

This claim identical with the abandoned High Cliff lode Sur. No. 3824, all corners of which were found in place and properly marked

. N. C. Park Chick to Let the re-

et det el e. fire, andi . het es . ted Sead er conte

to sine after orner, and all . And the rest that the second of the

.

# FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the indi	viduals employed by R. V. TROMAS	
	o assist in running, measuring, and marking	
	ng field notes of the survey of the mining clair	
	d-Leey-Reidhead	
	LENA MINE lede	
and showing the respective capaciti		
	Jee McFadden	Chainman
		, Flagman.
FINAL	OATHS OF ASSISTANTS.	
₩e, I, Jee ]	MeFadden	
and	, do solemnly swear that we assisted	
	nited States Mineral Surveyor, in marking the o	
	of Lona Wright and Looy Reidhead	
	ENA MINE lode	
represented in the foregoing field no	tes as having been surveyed by said mineral su	irveyor and under his
direction; and that said survey has b	peen in all respects, to the best of our knowledge	and belief, faithfully
	ior and boundary monuments established according	
	urveyor-General for Arizona	
	Joe ne Faddlin	
		, Axman.
		, Flagman
Subscribed and sv	worn to by the above-named persons before me	this desired
day of	May , 19 %	
	Harrys	1 Bens
My con exp	notary	Fully
My con CH6 1	1/14/1925	6—1043

# FINAL OATH OF U.S. MINERAL SURVEYOR.

I,, U. S. Mineral Surveyor
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for, dated
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of
LENA MINE lede ,
situate in Fort Anacho Indian Roservation Mining District,
Gila County, Aris , in Section
6 4 7(approximated as Survey No. 51 Range No. 181 . Unsur.
and designated as Survey No, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.
U. S. Mineral Surveyor.
Subscribed and sworn to by the said Hy House
U. S. Mineral Surveyor, before me a. Mofany Rulling
day of
Harry V Brue
2 5-104 Molar fully
My Com exp 11/14/1925

# Notice of Mining Location. LODE CLAIM

6

#### TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is theLs Mining Claim, situate on lands belonging to the United	States of America, and in which there are valuable
mineral deposits, was entered upon and located for the pu	rpose of exploration and purchase by
Miss Lena Wright and Loey Reid	lhead
(Locator must insert either "a citizen of the United States," or "who	
the undersigned, on theday ofDece	mber , 192 <b>3</b> .
The length of this claim is 15000	feet,
and IVe claim 500	feet
in a Westernly direction and 1000	feet in a Easternly
direction from the center of the discovery shaft, at which	this notice is posted, lengthwise of the Claim, together
with 300feet in width of the su	urface grounds, on each side of the center of said Claim.
The general course of the lode deposit and premises is fro	om theto
the East	
The Claim is situated and located in the Salt	Ri-verMining District in
Gila County, in the State o	f Arizona, about 1 mile
in a Northernly direction from Sa	w Mill Canyon
	om the Last Chance once known as the
High Cliff located by Roy Reidhead.	
The surface boundaries of the Claim are marked up	oon the ground as follows: Beginning at
	etionfeet from
at a point in adirec	g in the center of the
at a point in adirection direction discovery shaft (at which this notice is posted), being	g in the center of the, being
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence	g in the center of the
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence the corner of said to a, being at	g in the center of the
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence the corner of said	g in the center of the
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence corner of said to a, being at thence feet to a	ction feet from  g in the center of the being  Claim; thence feet  the corner of said Claim;  a at the center  I Claim; thence feet
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence corner of said to a, being at thence feet to a end of said to a feet to a feet to a end of said to a feet feet to a feet to a feet feet feet feet feet feet fe	g in the center of the
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence the corner of said to a, being at thence feet to a end of said to a, being at the feet to a, being at the feet to a feet to a end of said to a, being at a	ction feet from g in the center of the heing Claim; thence feet the at the center Claim; thence at the center Claim; thence feet the corner of feet the corner of feet to a feet to a feet to a feet from feet from g in the center heing Claim; thence feet the at the center feet the corner of feet to a feet to a feet from g in the center heing Claim; thence feet at the center feet from g in the center heing Claim; thence feet at the center feet
at a point in a direct the discovery shaft (at which this notice is posted), being end line of said Claim; thence corner of said to a being at thence feet to a, being at said Claim; thence at the corner of said C to the place of beginning.	ction feet from  g in the center of the being  Claim; thence feet  the at the center  I Claim; thence feet  the at the center  I Claim; thence feet  the XXXII. of the Revised Statutes of the United States.
at a point in a	g in the center of the
at a point in a	g in the center of the
at a point in a	g in the center of the

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoeni	k, Arizona,
	June 25 , 19 25.
I, U. S. Surveyor-General for Distric	t of Arizona
do hereby certify that the foregoing transcript of the Field	Notes, return and approval of the survey
of the mining claim of	
Lena Wright and Loey	
known as the LENA MINE loc	
situate in Port Apache India	
Mining District, G11a	
in Sections 6 & 7 , Township No. 5 N.	
designated as Survey No, has been co	
this office; that said Field Notes furnish such an accurate	
incorporated into a patent, serve fully to identify the premis	es, and that such reference is made therein
to natural objects or permanent monuments as will perpetua	ate and fix the locus thereof.
And I further certify that five hundred dellars' worth	of labor has been expended or improve-
ments made upon said mining claim by claimant or	
and that no portion of said labor or improvements has been	included in the estimate of expenditures
rpon any other claim.	
I further certify that the plat thereof, filed in the U.S.	Land Office at Phoen ix
Arizona is correct and in conformity	with the foregoing Field Notes.
0	harles M. Donohoe
United States Surveyor-Gen	eral for Arizona

# SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

#### DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

	Pho	enix, Arizona	
		June 25	, 1925
I, U. S. Surveyor General for	District o	f Arizona	***************************************
do hereby certify that the foregoing and he	ereto attached Field N	otes and Return of the	Survey of the
Mining Claim of			
Lena Wright	and Loey Reidhe	ead	***************************************
		,	known as the
LENA M	INE lode		
situate inFort Anache	Indian Reserv	vation n	nining district,
Gila	County,	Arizona	
in Section s. Approx.6. & 7, Townsl	hip No5_N.	, Range No	18 E. Unsur
, designated as Surv	ey No.	3928	
executed byR. G.	Thomas	,	U. S. Mineral
Surveyor, May 11 - 13		, 192 5, under my instr	ructions dated
Feb. 26	, 192 4, have been cr	ritically examined and	the necessary
corrections and explanations made, and the			
are hereby approved. The certified copy of	the location certificat	e filed by the applicant	for survey is
on file in this office and a true copy of said	certified copy of said	location certificate is	included and
made a part of the transcript of the field not	tes.		
	Charles.	M. Douolio	ę.
GOVERNMENT PRINTING GUINCE		r General forArizo	

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 3928

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Lena Mine lode, Mineral Survey No. 3928, located in section 19, Township 5 North, Range 18 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Lena Mine lode, M.S. 3928 was canceled May 4, 1999, by memo 9605 (952) M.S. 3928, which is now a part of the original field notes."

May 4, 1999 Date Chief Cadastral Surveyor of Arizona